

## AMENDMENTS TO THE CLAIMS

Please amend Claims 58, 59, 63, 68, 70, 73, 78, and 83 as follows:

1-57. (Cancelled)

58. (Currently Amended) A controller for controlling a video camera in accordance with designations input from a client, said controller comprising:

an input unit ~~that inputs~~ adapted to input the designations from the client; and

a control unit ~~that controls~~ adapted to control the video camera in accordance with the designations from the client;

wherein, in a case where the designations include a predetermined plurality of of commands for the same operation, said control unit does not control the video camera in accordance with ~~all~~ each of the predetermined plurality of commands, and in a case where the designations do not include a predetermined plurality of commands for the same operation, said control unit controls the video camera in accordance with each of the predetermined plurality of commands.

59. (Currently Amended) A controller according to Claim 58, wherein, in a case where the designations include a predetermined plurality of ~~commands~~ commands for the same operation, said control unit controls the video camera in accordance with the latest command of the predetermined plurality of commands.

60. (Previously Presented) A controller according to Claim 58, wherein the predetermined plurality of commands are pan, tilt, or zoom commands of the video camera.

61. (Previously Presented) A controller according to Claim 58, further comprising:  
a transmitting unit that transmits to other clients, in accordance with the  
designations, control information of the video camera.

62. (Previously Presented) A controller according to Claim 58, wherein said  
controller is a camera server connected with the client via a network.

63. (Currently Amended) A method of controlling a video camera in accordance  
with designations input from a client, said method comprising the steps of:  
inputting the designations from the client; and  
controlling the video camera in accordance with the designations from the client,  
wherein, in a case where the designations include a predetermined plurality of  
commands for the same operation, said control step does not control the video camera in  
accordance with ~~all~~ each of the predetermined plurality of commands, and in a case where  
the designations do not include a predetermined plurality of commands for the same  
operation, said control step controls the video camera in accordance with each of the  
predetermined plurality of commands.

64. (Previously Presented) A method according to Claim 63, wherein, in a case  
where the designations include a predetermined plurality of commands for the same  
operation, said control step includes controlling the video camera in accordance with the  
latest command of the predetermined plurality of commands.

65. (Previously Presented) A method according to Claim 63, wherein the  
predetermined plurality of command are pan tilt, or zoom commands of the video camera.

66. (Previously Presented) A method according to Claim 63, further comprising:  
a transmitting step of transmitting to another client, in accordance with the designations, control information of the video camera.

67. (Previously Presented) A method according to Claim 63, wherein said control step includes controlling the video camera with a camera server connected with the client via a network.

68. (Currently Amended) A computer readable storage medium for storing programs executed by a controller to control a video camera in accordance with designations input from a client, the programs including:

a program for inputting designations from the client; and

a program for controlling the video camera in accordance with the designations from the client;

wherein, in a case where the designations include a predetermined plurality of commands for the same operation, the program for controlling the video camera does not control the video camera in accordance with ~~all~~ each of the predetermined plurality of commands, and in a case where the designations do not include a predetermined plurality of commands for the same operation, the program for controlling the video camera controls the video camera in accordance with each of the predetermined plurality of commands.

69. (Previously Presented) A computer storage medium according to Claim 68, wherein, in a case where the designations include a predetermined plurality of commands for the same operation, the program controls the video camera in accordance with the latest command of the predetermined plurality of commands.

70. (Currently Amended) A computer-readable storage medium according to Claim 68, wherein ~~th~~ the predetermined plurality of commands are pan, tilt, or zoom commands of the video camera.

71. (Previously Presented) A computer-readable storage medium according to Claim 68, the program further comprising a transmitting step of transmitting control information of the video camera, in accordance with the designations, to another client.

72. (Previously Presented) A computer-readable storage medium according to Claim 68, wherein the controller is a camera server connected with the client via a network.

73. (Currently Amended) A controller for controlling a video camera in accordance with designations input from a client, said controller comprising:  
an input unit ~~that inputs~~ adapted to input designations from the client; and  
a transmitting unit ~~that transmits~~ adapted to transmit image signals of the video camera [[,]] which are displayed at the client in accordance with the designations to the client,

wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said transmitting unit does not transmit ~~all~~ each of the image signals in accordance with the predetermined plurality of commands to the client, and in a case where the designations do not include a predetermined plurality of commands for the same operation, said transmitting unit transmits each of the image signals in accordance with the predetermined plurality of commands.

74. (Previously Presented) A controller according to Claim 73, wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said transmitting unit transmits the image signals in accordance with the latest command of the predetermined plurality of commands to the client.

75. (Previously Presented) A controller according to Claim 73, further comprising:  
a control unit that controls the video camera in accordance with the designations from the client,

wherein said transmitting unit transmits the image signals of the video camera controlled by said control unit.

76. (Previously Presented) A controller according to Claim 75, wherein the predetermined plurality of commands are pan, tilt, or zoom commands of the video camera.

77. (Previously Presented) A controller according to Claim 73, wherein said controller is a camera server connected with said client via a network.

78. (Currently Amended) A method of controlling a video camera in accordance with designations input from a client, said method comprising the steps of:

inputting the designations from the client; and

transmitting image signals of the video camera which are displayed at the client in accordance with the designations to the client,

wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said transmitting step does not transmit at each of the image signals in accordance with the predetermined plurality of commands to the client, and in a case where the designations do not include a predetermined plurality of commands

for the same operation, said transmitting step transmits each of the image signals in accordance with the predetermined plurality of commands to the client.

79. (Previously Presented) A method according to Claim 78, wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said transmitting step transmits the image signals in accordance with a latest command of the predetermined plurality of commands to the client.

80. (Previously Presented) A method according to Claim 78, further comprising:  
a control step of controlling the video camera in accordance with the designations from the client,

wherein said transmitting step transmits the image signals of the video camera controlled in said control step.

81. (Previously Presented) A method according to Claim 80, wherein the predetermined plurality of commands are pan, tilt or zoom commands of the video camera.

82. (Previously Presented) A method according to Claim 78, wherein the controller is a camera server connected with the client via a network.

83. (Currently Amended) A computer-readable storage medium for storing programs executed by a controller to control a video camera in accordance with designations input from a client, said programs including:

a program for inputting the designations from the client; and

a program for transmitting image signals of the video camera which are displayed at the client in accordance with the designations to the client,

wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said program for transmitting does not transmit ~~all~~ each of the image signals in accordance with the predetermined plurality of commands to the client, and in a case where the designations do not include a predetermined plurality of commands for the same operation, said program for transmitting transmits each of the image signals in accordance with the predetermined plurality of commands to the client.

84. (Previously Presented) A computer-readable storage medium according to Claim 83, wherein, in a case where the designations include a predetermined plurality of commands for the same operation, said program for transmitting image signals transmits the image signals in accordance with the latest command of the predetermined plurality of commands to the client.

85. (Previously Presented) A computer-readable storage medium according to Claim 83, further comprising:

a program for controlling the video camera in accordance with the designations from the client,

wherein said program for the transmitting step transmits the image signals of the video camera controlled in said program for controlling the video camera.

86. (Previously Presented) A computer-readable storage medium according to Claim 85, wherein the predetermined plurality of commands are pan, tilt, or zoom commands of the video camera.

87. (Previously Presented) A controller according to Claim 83, wherein the controller is a camera server connected with the client via a network.